


designworks:tiles

Surround




Burlington [EFFECT] Contemporary

SLIP RESISTANT 10mm RANGE


designworks:tiles



SAND



WHITE



GREY



SAND



DARK

Burlington [EFFECT] Contemporary

WHITE



1200 x 600

SAND




1200 x 600

GREY



1200 x 600

DARK




1200 x 600

Format (mm)	Product Codes				Slip Resistance Values	
	WHITE	SAND	GREY	DARK	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1200 x 600 x 10	IM-0027474	IM-0027469	IM-0027470	IM-0027471	>62	>43



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish



SAND

District

[EFFECT] Contemporary

SLIP RESISTANT 10mm RANGE

designworks:tiles

STOCKED ITEMS AVAILABLE
IN THIS RANGE



SILVER




WHITE



SILVER



GREY



DARK

District

[EFFECT] Contemporary

designworks:tiles

WHITE



600 x 600

SILVER



600 x 600

GREY



600 x 600

DARK



600 x 600



SILVER

Please see page 31 for more tiles and special pieces

Format (mm)	Product Codes				Slip Resistance Values	
	WHITE	SILVER	GREY	DARK	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
600 x 600 x 10	IM-0013224 ✓	IM-0019702 ✓	IM-0005903 ✓	IM-0023124	>53	>36

✓ **Stocked Items**




Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish

Greenwich Park [EFFECT] Contemporary SLIP RESISTANT 10mm RANGE

designworks:tiles




SAND



GREY

GREY

Greenwich Park [EFFECT] Contemporary



GREY

1200 x 600
600 x 600
600 x 300



SAND

1200 x 600
600 x 600
600 x 300



GREY

Format (mm)	Product Codes		Slip Resistance Values	
	GREY	SAND	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
600 x 300 x10	IM-0003620	IM-0014417	>60	>52
600 x 600 x 10	IM-0014886	IM-0008913	>60	>52
1200 x 600 x 10	IM-0006860	IM-0022326	>60	>52



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish

Please see page 38 for more tiles and special pieces



SAND

Limehouse [EFFECT] Contemporary


SLIP RESISTANT 10mm RANGE

designworks:tiles


STOCKED ITEMS AVAILABLE
IN THIS RANGE



ROPE



WHITE



GREY

Limehouse [EFFECT] Contemporary


WHITE



800 x 800



1000 x 1000



1200 x 600


ROPE



800 x 800



1000 x 1000



1200 x 600

GREY



800 x 800



1000 x 1000



1200 x 600



White

Format (mm)	Product Codes			Slip Resistance Values	
	WHITE	ROPE	GREY	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
800 x 800 x 10	IM-0027432 ✓	IM-0027433 ✓	IM-0027434	>51	>39
1000 x 1000 x 10	IM-0027443	IM-0027444	IM-0027445	>51	>39
1200 x 600 x 10	IM-0027446	IM-0027447	IM-0027448	>51	>39

✓ **Stocked Items**



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish

Minimal

[EFFECT] Contemporary

SLIP RESISTANT 10mm RANGE

designworks:tiles



GREY



WHITE



GREY



DARK



BLUE

Minimal

[EFFECT] Contemporary

WHITE



1200 x 600

GREY



1200 x 600

DARK



1200 x 600

BLUE



1200 x 600

Format (mm)	Product Codes				Slip Resistance Values	
	WHITE	GREY	DARK	BLUE	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1200 x 600 x 10	IM-0027440	IM-0027439	IM-0027438	IM-0027473	>61	>39



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish



GREY (FLOOR) / GREY (WALL)

Abbotsbury [EFFECT] Traditional

SLIP RESISTANT 10mm RANGE

designworks:tiles

STOCKED ITEMS AVAILABLE
IN THIS RANGE



SAND

Abbotsbury [EFFECT] Traditional

designworks:tiles

SAND



1000 x 1000

Format (mm)	Product Codes	Slip Resistance Values	
	SAND	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1000 x 1000 x 10	IM-0027472	>68	>50

✓ **Stocked Items**



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish



Brecon

[EFFECT] Traditional

SLIP RESISTANT 10mm RANGE

designworks:tiles



MOON

MOON



1200 x 600

1000 x 1000



Format (mm)	Product Codes	Slip Resistance Values	
	MOON	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1000 x 1000 x 10	IM-0027452	>64	>40
1200 x 600 x 10	IM-0027455	>64	>40



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish

Crosscliff

[EFFECT] Traditional

SLIP RESISTANT 10mm RANGE


designworks:tiles




GREY




GREIGE



GREY



SAND



SKY BLUE

GREIGE



1200 x 600

GREY



1200 x 600

SAND



1200 x 600

SKY BLUE



1200 x 600


Format (mm)	Product Codes				Slip Resistance Values	
	GREIGE	GREY	SAND	SKY BLUE	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1200 x 600 x 10	IM-0027461	IM-0027462	IM-0027463	IM-0027464	>60	>45



Searching for the perfect indoor/outdoor look:
Also available in 10mm natural finish



GREY



Drop down pool edge
The image above shows a standard
10mm thick porcelain tile:
cut, mitred and engineered to form a
drop edge finishing piece.



WHITE

WHITE



600 x 600

GREIGE



600 x 600

Format (mm)	Product Codes		Slip Resistance Values	
	WHITE	GREIGE	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
600 x 600 x 10	IM-0027885	IM-0027884	>60	>45

Also available in 10mm natural finish



WHITE

Trondheim


[EFFECT] Marble \ Veined

SLIP RESISTANT 10mm RANGE

designworks:tiles



WHITE



BLACK



GREY

Trondheim [EFFECT] Marble \ Veined

GREY



1200 x 600

WHITE



1200 x 600

BLACK



1200 x 600

Format (mm)	Product Codes			Slip Resistance Values	
	GREY	WHITE	BLACK	Shod Dry (4S96)	Barefoot Wet (TRRL 55 Wet)
1200 x 600 x 10	IM-0027450	IM-0027451	IM-0027449	>60	>41

Also available in 10mm natural finish








BLACK

District Tiles and Special Pieces

designworks:tiles

Walls: 595 x 296 Dark matt / Mosaic Dark lappato / Floor: 595 x 595 Dark slip-resistant matt



Suitability:	
	Walls
	Floors
	R10 A+B and R11 A+B+C options
	Internal use External use options

Options in this range:	
Material	Unglazed Porcelain
Finishes	Matt Lappato Structured
Edges	Rectified
Colours	4

District Tiles and Special Pieces

white



CB36-010-12060 Rectified matt 1192 x 595 x 10.5mm
CB36-011-12060 Rectified Lappato 1192 x 595 x 10.5mm



CB36-010-6030 Rectified matt 595 x 296 x 10.5mm
CB36-011-6030 Rectified Lappato 595 x 296 x 10.5mm



CB36-010-9090 Rectified matt 895 x 895 x 10.5mm
CB36-011-9090 Rectified Lappato 895 x 895 x 10.5mm
CB36-013-9090 Rectified slip resistant 20mm 895 x 895 x 20mm




CS2034-6060 Rectified matt 595 x 595 x 10.5mm
CB36-011-6060 Rectified Lappato 595 x 595 x 10.5mm
CS2035-6060 Rectified slip resistant 595 x 595 x 10.5mm
CS2036-6060 Rectified slip resistant 20mm 595 x 595 x 20mm




CB36-010-MOS Rectified matt 300 x 300 x 10.5mm
CB36-011-MOS Rectified Lappato 300 x 300 x 10.5mm
Mosaic



CB36-010-9045 Rectified matt 895 x 450 x 10.5mm
CB36-011-9045 Rectified Lappato 895 x 450 x 10.5mm
CB36-013-9045 Rectified slip resistant 20mm 895 x 450 x 20mm



CB36-010-5017 Rectified matt 498 x 169 x 10.5mm
Chevron pair




CB36-010-3920L Rectified matt 392 x 195 x 10.5mm
Chevron Left



CB36-010-3920R Rectified matt 392 x 195 x 10.5mm
Chevron Right



CB36-010-2010L Rectified matt 195 x 97 x 10.5mm
Chevron Left



CB36-010-2010R Rectified matt 195 x 97 x 10.5mm
Chevron Right



CB36-010-BRI Rectified matt 600 x 300 x 10.5mm
CB36-011-BRI Rectified Lappato 600 x 300 x 10.5mm
Brickbond mosaic



CB36-010-MIX Rectified matt 600 x 300 x 10.5mm
CB36-011-MIX Rectified Lappato 600 x 300 x 10.5mm
Mixed mosaic



CB36-010-TREDI Rectified matt 590 x 290 x 10.5mm
CB36-011-TREDI Rectified Lappato 590 x 290 x 10.5mm
Tredi mosaic



Wall: Tredi matt / Floor: 895 x 895 matt




595 x 595 matt




white



silver



grey



dark

District Tiles and Special Pieces

silver




CB36-020-12060 Rectified matt 1192 x 595 x 10.5mm
 CB36-021-12060 Rectified Lappato 1192 x 595 x 10.5mm



CB36-020-6030 Rectified matt 595 x 296 x 10.5mm
 CB36-021-6030 Rectified Lappato 595 x 296 x 10.5mm



CB36-020-5017 Rectified matt 498 x 169 x 10.5mm
 Chevron pair



CB36-020-3920L Rectified matt 392 x 195 x 10.5mm
 Chevron Left



CB36-020-3920R Rectified matt 392 x 195 x 10.5mm
 Chevron Right



CB36-020-2010L Rectified matt 195 x 97 x 10.5mm
 Chevron Left



CB36-020-2010R Rectified matt 195 x 97 x 10.5mm
 Chevron Right



CB36-020-BRI Rectified matt 600 x 300 x 10.5mm
 CB36-021-BRI Rectified Lappato 600 x 300 x 10.5mm
 Brickbond mosaic



CB36-020-MIX Rectified matt 600 x 300 x 10.5mm
 CB36-021-MIX Rectified Lappato 600 x 300 x 10.5mm
 Mixed mosaic




CB36-020-TREDI Rectified matt 590 x 290 x 10.5mm
 CB36-021-TREDI Rectified Lappato 590 x 290 x 10.5mm
 Tredi mosaic



CB36-020-9090 Rectified matt 895 x 895 x 10.5mm
 CB36-021-9090 Rectified Lappato 895 x 895 x 10.5mm
 CB36-023-9090 Rectified slip resistant 20mm 895 x 895 x 20mm



CB36-020-6060 Rectified matt 595 x 595 x 10.5mm
 CB36-021-6060 Rectified Lappato 595 x 595 x 10.5mm
 CB36-022-6060 Rectified slip resistant 595 x 595 x 10.5mm
 CB36-023-6060 Rectified slip resistant 20mm 595 x 595 x 20mm



CB36-020-MOS Rectified matt 300 x 300 x 10.5mm
 CB36-021-MOS Rectified Lappato 300 x 300 x 10.5mm
 Mosaic



CB36-020-9045 Rectified matt 895 x 450 x 10.5mm
 CB36-021-9045 Rectified Lappato 895 x 450 x 10.5mm
 CB36-023-9045 Rectified slip resistant 20mm 895 x 450 x 20mm




895 x 895 lappato




white



silver



grey




dark



Mixed mosaic matt

District Tiles and Special Pieces


grey




CB36-030-12060 Rectified matt 1192 x 595 x 10.5mm
 CB36-031-12060 Rectified Lappato 1192 x 595 x 10.5mm



CB36-030-6030 Rectified matt 595 x 296 x 10.5mm
 CB36-031-6030 Rectified Lappato 595 x 296 x 10.5mm




CB36-030-5017 Rectified matt 498 x 169 x 10.5mm
 Chevron pair




CB36-030-3920L Rectified matt 392 x 195 x 10.5mm
 Chevron Left



CB36-030-3920R Rectified matt 392 x 195 x 10.5mm
 Chevron Right




CB36-030-2010L Rectified matt 195 x 97 x 10.5mm
 Chevron Left




CB36-030-2010R Rectified matt 195 x 97 x 10.5mm
 Chevron Right



CB36-030-BRI Rectified matt 600 x 300 x 10.5mm
 CB36-031-BRI Rectified Lappato 600 x 300 x 10.5mm
 Brickbond mosaic




CB36-030-MIX Rectified matt 600 x 300 x 10.5mm
 CB36-031-MIX Rectified Lappato 600 x 300 x 10.5mm
 Mixed mosaic




CB36-030-TREDI Rectified matt 590 x 290 x 10.5mm
 CB36-031-TREDI Rectified Lappato 590 x 290 x 10.5mm
 Tredi mosaic




CB36-030-9090 Rectified matt 895 x 895 x 10.5mm
 CB36-031-9090 Rectified Lappato 895 x 895 x 10.5mm
 CB36-033-9090 Rectified slip resistant 20mm 895 x 895 x 20mm



CS2037-6060 Rectified matt 595 x 595 x 10.5mm
 CB36-031-6060 Rectified Lappato 595 x 595 x 10.5mm
 CS2038-6060 Rectified slip resistant 595 x 595 x 10.5mm
 CS2039-6060 Rectified slip resistant 20mm 595 x 595 x 20mm




CB36-030-MOS Rectified matt 300 x 300 x 10.5mm
 CB36-031-MOS Rectified Lappato 300 x 300 x 10.5mm
 Mosaic



CB36-030-9045 Rectified matt 895 x 450 x 10.5mm
 CB36-031-9045 Rectified Lappato 895 x 450 x 10.5mm
 CB36-033-9045 Rectified slip resistant 20mm 895 x 450 x 20mm



895 x 450 lappato




392 x 195 Chevron L + R




white



silver




grey



dark

District Tiles and Special Pieces


grey




CB36-030-12060 Rectified matt 1192 x 595 x 10.5mm
CB36-031-12060 Rectified Lappato 1192 x 595 x 10.5mm



CB36-030-6030 Rectified matt 595 x 296 x 10.5mm
CB36-031-6030 Rectified Lappato 595 x 296 x 10.5mm



CB36-030-5017 Rectified matt 498 x 169 x 10.5mm
Chevron pair




CB36-030-3920L Rectified matt 392 x 195 x 10.5mm
Chevron Left



CB36-030-3920R Rectified matt 392 x 195 x 10.5mm
Chevron Right




CB36-030-2010L Rectified matt 195 x 97 x 10.5mm
Chevron Left




CB36-030-2010R Rectified matt 195 x 97 x 10.5mm
Chevron Right



CB36-030-BRI Rectified matt 600 x 300 x 10.5mm
CB36-031-BRI Rectified Lappato 600 x 300 x 10.5mm
Brickbond mosaic




CB36-030-MIX Rectified matt 600 x 300 x 10.5mm
CB36-031-MIX Rectified Lappato 600 x 300 x 10.5mm
Mixed mosaic




CB36-030-TREDI Rectified matt 590 x 290 x 10.5mm
CB36-031-TREDI Rectified Lappato 590 x 290 x 10.5mm
Tredi mosaic




CB36-030-9090 Rectified matt 895 x 895 x 10.5mm
CB36-031-9090 Rectified Lappato 895 x 895 x 10.5mm
CB36-033-9090 Rectified slip resistant 20mm 895 x 895 x 20mm



CS2037-6060 Rectified matt 595 x 595 x 10.5mm
CB36-031-6060 Rectified Lappato 595 x 595 x 10.5mm
CS2038-6060 Rectified slip resistant 595 x 595 x 10.5mm
CS2039-6060 Rectified slip resistant 20mm 595 x 595 x 20mm



CB36-030-MOS Rectified matt 300 x 300 x 10.5mm
CB36-031-MOS Rectified Lappato 300 x 300 x 10.5mm
Mosaic



CB36-030-9045 Rectified matt 895 x 450 x 10.5mm
CB36-031-9045 Rectified Lappato 895 x 450 x 10.5mm
CB36-033-9045 Rectified slip resistant 20mm 895 x 450 x 20mm



895 x 450 lappato




392 x 195 Chevron L + R




white



silver



grey





dark

District Tiles and Special Pieces

technical chart (1 of 2)

Description	PRODUCT				DIMENSIONS / WEIGHT					SLIP RESISTANCE					AREA OF USE			Impregnate (yes/no)	Pieces per pack	Coverage per pack (m ²)	Weight per pack (kg)	Packs per pallet
	Rectified Edge (yes/no)	Surface Finish	Colour Name	Product Code	Length (mm)	Width (mm)	Thickness (mm)	PCS per m ²	Kg per m ²	Ramp Test (DIN 51130)	Deep Abrasion (ISO 10545-6)	Shod Dry (4596 Dry)	Shod Wet (4596 Wet)	Barefoot Wet (TRRL 55 Wet)	Internal Walls	Internal Floors	External Floors					
1192 x 595	✓	Lappato	White	CB36-011-12060	1192	595	10.5	1.389	24.7	-	Pass	40	14	-	✓	✓	X	X	2	1.44	35.5	15
			Silver	CB36-021-12060	1192	595	10.5	1.389	24.7	-	Pass	59	13	-	✓	✓	X	X	2	1.44	35.5	15
		Matt	White	CB36-010-12060	1192	595	10.5	1.389	24.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	2	1.44	35.5	15
			Silver	CB36-020-12060	1192	595	10.5	1.389	24.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	2	1.44	35.5	15
895 x 895	✓	Lappato	White	CB36-011-9090	895	895	10.5	1.235	24.7	-	Pass	40	14	-	✓	✓	X	X	2	1.62	40	25
			Silver	CB36-021-9090	895	895	10.5	1.235	24.7	-	Pass	59	13	-	✓	✓	X	X	2	1.62	40	25
		Matt	White	CB36-010-9090	895	895	10.5	1.235	24.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	2	1.62	40	25
			Silver	CB36-020-9090	895	895	10.5	1.235	24.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	2	1.62	40	25
895 x 895 Slip Resistant 20mm	✓	Structured	White	CB36-013-9090	895	895	20	1.235	44.7	R11 A+B+C	Pass	64	58	57	✓	✓	X	X	1	0.81	37.3	30
			Silver	CB36-023-9090	895	895	20	1.235	44.7	R11 A+B+C	Pass	64	58	57	✓	✓	X	X	1	0.81	37.3	30
895 x 447	✓	Lappato	White	CB36-011-9045	895	447	10.5	2.469	24.7	-	Pass	40	14	-	✓	✓	X	X	3	1.22	30	30
			Silver	CB36-021-9045	895	447	10.5	2.469	24.7	-	Pass	59	13	-	✓	✓	X	X	3	1.22	30	30
		Matt	White	CB36-010-9045	895	447	10.5	2.469	24.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	3	1.22	30	30
			Silver	CB36-020-9045	895	447	10.5	2.469	24.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	3	1.22	30	30
895 x 447 Slip Resistant 20mm	✓	Structured	White	CB36-013-9045	895	447	20	2.469	44.7	R11 A+B+C	Pass	60	49	42	X	✓	✓	X	2	0.81	37.3	30
			Silver	CB36-023-9045	895	447	20	2.469	44.7	R11 A+B+C	Pass	67	57	46	X	✓	✓	X	2	0.81	37.3	30
595 x 595	✓	Lappato	White	CB36-011-6060	595	595	10.5	2.778	24.7	-	Pass	40	14	-	✓	✓	X	X	4	1.44	32.5	32
			Silver	CB36-021-6060	595	595	10.5	2.778	24.7	-	Pass	59	13	-	✓	✓	X	X	4	1.44	32.5	32
		Matt	White	CS2034-6060	595	595	10.5	2.778	24.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	4	1.44	32.5	32
			Silver	CB36-020-6060	595	595	10.5	2.778	24.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	4	1.44	32.5	32
595 x 595 Slip Resistant	✓	Structured	White	CS2035-6060	595	595	10.5	2.778	24.7	R11 A+B+C	Pass	60	49	42	X	✓	✓	X	4	1.44	33	32
			Silver	CB36-022-6060	595	595	10.5	2.778	24.7	R11 A+B+C	Pass	67	57	46	X	✓	✓	X	4	1.44	33	32
595 x 595 Slip Resistant 20mm	✓	Structured	White	CS2036-6060	595	595	20	2.778	44.7	R11 A+B+C	Pass	60	49	42	X	✓	✓	X	2	0.72	32.5	32
			Silver	CB36-023-6060	595	595	20	2.778	44.7	R11 A+B+C	Pass	67	57	46	X	✓	✓	X	2	0.72	32.5	32
595 x 296	✓	Lappato	White	CB36-011-6030	595	296	10.5	5.556	24.7	-	Pass	40	14	-	✓	✓	X	X	8	1.44	32.5	32
			Silver	CB36-021-6030	595	296	10.5	5.556	24.7	-	Pass	59	13	-	✓	✓	X	X	8	1.44	32.5	32
		Matt	White	CB36-010-6030	595	296	10.5	5.556	24.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	8	1.44	32.5	32
			Silver	CB36-020-6030	595	296	10.5	5.556	24.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	8	1.44	32.5	32
600 x 300 Brickbond Mosaic	✓	Lappato	White	CB36-011-BRI	600	300	10.5	5.556	21.7	-	Pass	40	14	-	✓	✓	X	X	4	0.72	15.6	30
			Silver	CB36-021-BRI	600	300	10.5	5.556	21.7	-	Pass	59	13	-	✓	✓	X	X	4	0.72	15.6	30
		Matt	White	CB36-010-BRI	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	4	0.72	15.6	30
			Silver	CB36-020-BRI	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	4	0.72	15.6	30
600 x 300 Mixed Mosaic	✓	Lappato	White	CB36-011-MIX	600	300	10.5	5.556	21.7	-	Pass	40	14	-	✓	✓	X	X	4	0.72	15.6	30
			Silver	CB36-021-MIX	600	300	10.5	5.556	21.7	-	Pass	59	13	-	✓	✓	X	X	4	0.72	15.6	30
		Matt	White	CB36-010-MIX	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	35	26	✓	✓	X	X	4	0.72	15.6	30
			Silver	CB36-020-MIX	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	44	35	✓	✓	X	X	4	0.72	15.6	30
590 x 290 Tredi Mosaic	✓	Lappato	White	CB36-011-TREDI	590	290	10.5	5.882	26.8	-	Pass	40	14	-	✓	✓	X	X	4	0.68	18.2	30
			Silver	CB36-021-TREDI	590	290	10.5	5.882	26.8	-	Pass	59	13	-	✓	✓	X	X	4	0.68	18.2	30
		Matt	White	CB36-010-TREDI	590	290	10.5	5.882	26.8	R10 A+B	Pass	57	35	26	✓	✓	X	X	4	0.68	18.2	30
			Silver	CB36-020-TREDI	590	290	10.5	5.882	26.8	R10 A+B	Pass	57	44	35	✓	✓	X	X	4	0.68	18.2	30
498 x 169 Chevron Pair	✓	Matt	White	CB36-010-5017	498	169	10.5	13.861	22.772	R10 A+B	Pass	57	35	26	✓	✓	X	X	14*	1.01	23	40
			Silver	CB36-020-5017	498	169	10.5	13.861	22.772	R10 A+B	Pass	57	44	35	✓	✓	X	X	14*	1.01	23	40
392 x 195 Chevron Right	✓	Matt	White	CB36-010-3920R	392	195	10.5	15.152	25	R10 A+B	Pass	57	35	26	✓	✓	X	X	10	0.66	16.5	40
			Silver	CB36-020-3920R	392	195	10.5	15.152	25	R10 A+B	Pass	57	44	35	✓	✓	X	X	10	0.66	16.5	40
392 x 195 Chevron Left	✓	Matt	White	CB36-010-3920L	392	195	10.5	15.152	25	R10 A+B	Pass	57	35	26	✓	✓	X	X	10	0.66	16.5	40
			Silver	CB36-020-3920L	392	195	10.5	15.152	25	R10 A+B	Pass	57	44	35	✓	✓	X	X	10	0.66	16.5	40
300 x 300 Mosaic	✓	Lappato	White	CB36-011-MOS	300	300	10.5	11.111	22.2	-	Pass	40	14	-	✓	✓	X	X	5	0.45	10	60
			Silver	CB36-021-MOS	300	300	10.5	11.111	22.2	-	Pass	59	13	-	✓	✓	X	X	5	0.45	10	60
		Matt	White	CB36-010-MOS	300	300	10.5	11.111	22.2	R10 A+B	Pass	57	35	26	✓	✓	X	X	5	0.45	10	60
			Silver	CB36-020-MOS	300	300	10.5	11.111	22.2	R10 A+B	Pass	57	44	35	✓	✓	X	X	5	0.45	10	60
195 x 97 Chevron Right	✓	Matt	White	CB36-010-2010R	195	97	10.5	62.5	25	R10 A+B	Pass	57	35	26	✓	✓	X	X	30	0.48	12	48
			Silver	CB36-020-2010R	195	97	10.5	62.5	25	R10 A+B	Pass	57	44	35	✓	✓	X	X	30	0.48	12	48
195 x 97 Chevron Left	✓	Matt	White	CB36-010-2010L	195	97	10.5	62.5	25	R10 A+B	Pass	57	35	26	✓	✓	X	X	30	0.48	12	48
			Silver	CB36-020-2010L	195	97	10.5	62.5	25	R10 A+B	Pass	57	44	35	✓	✓	X	X	30	0.48	12	48



*Chevron Pair: 7 Left-hand and 7 Right-hand tiles supplied per pack

All stated dimensions are nominal.



Due to variations in print and display technologies, colours shown here may differ from actual products. It is advisable to see a sample before ordering.



District Tiles and Special Pieces

technical chart (2 of 2)

Description	PRODUCT				DIMENSIONS / WEIGHT					SLIP RESISTANCE					AREA OF USE			Impregnate (yes/no)	Pieces per pack	Coverage per pack (m ²)	Weight per pack (kg)	Packs per pallet
	Rectified Edge (yes/no)	Surface Finish	Colour Name	Product Code	Length (mm)	Width (mm)	Thickness (mm)	PCS per m ²	Kg per m ²	Ramp Test (DIN 51130)	Deep Abrasion (ISO 10545-6)	Shod Dry (4596 Dry)	Shod Wet (4596 Wet)	Barfoot Wet (TRRL 55 Wet)	Internal Walls	Internal Floors	External Floors					
1192 x 595	✓	Lappato	Grey	CB36-031-12060	1192	595	10.5	1.389	24.7	-	Pass	60	16	-	✓	✓	X	X	2	1.44	35.5	15
			Dark	CB36-041-12060	1192	595	10.5	1.389	24.7	-	Pass	65	13	-	✓	✓	X	X	2	1.44	35.5	15
		Matt	Grey	CB36-030-12060	1192	595	10.5	1.389	24.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	2	1.44	35.5	15
			Dark	CB36-040-12060	1192	595	10.5	1.389	24.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	2	1.44	35.5	15
895 x 895	✓	Lappato	Grey	CB36-031-9090	895	895	10.5	1.235	24.7	-	Pass	60	16	-	✓	✓	X	X	2	1.62	40	25
			Dark	CB36-041-9090	895	895	10.5	1.235	24.7	-	Pass	65	13	-	✓	✓	X	X	2	1.62	40	25
		Matt	Grey	CB36-030-9090	895	895	10.5	1.235	24.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	2	1.62	40	25
			Dark	CB36-040-9090	895	895	10.5	1.235	24.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	2	1.62	40	25
895 x 895 Slip Resistant 20mm	✓	Structured	Grey	CB36-033-9090	895	895	20	1.235	44.7	R11 A+B+C	Pass	64	58	57	✓	✓	X	X	1	0.81	37.3	25
			Dark	CB36-043-9090	895	895	20	1.235	44.7	R11 A+B+C	Pass	64	58	57	✓	✓	X	X	1	0.81	37.3	25
895 x 447	✓	Lappato	Grey	CB36-031-9045	895	447	10.5	2.469	24.7	-	Pass	60	16	-	✓	✓	X	X	3	1.22	30	30
			Dark	CB36-041-9045	895	447	10.5	2.469	24.7	-	Pass	65	13	-	✓	✓	X	X	3	1.22	30	30
		Matt	Grey	CB36-030-9045	895	447	10.5	2.469	24.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	3	1.22	30	30
			Dark	CB36-040-9045	895	447	10.5	2.469	24.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	3	1.22	30	30
895 x 447 Slip Resistant 20mm	✓	Structured	Grey	CB36-043-9045	895	447	20	2.469	44.7	R11 A+B+C	Pass	64	58	57	X	✓	✓	X	2	0.81	37.3	30
			Dark	CB36-033-9045	895	447	20	2.469	44.7	R11 A+B+C	Pass	64	58	57	X	✓	✓	X	2	0.81	37.3	30
595 x 595	✓	Lappato	Grey	CB36-031-6060	595	595	10.5	2.778	24.7	-	Pass	60	16	-	✓	✓	X	X	4	1.44	32.5	32
			Dark	CB36-041-6060	595	595	10.5	2.778	24.7	-	Pass	65	13	-	✓	✓	X	X	4	1.44	32.5	32
		Matt	Grey	CS2037-6060	595	595	10.5	2.778	24.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	4	1.44	32.5	32
			Dark	CB36-040-6060	595	595	10.5	2.778	24.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	4	1.44	32.5	32
595 x 595 Slip Resistant	✓	Structured	Grey	CS2038-6060	595	595	10.5	2.778	24.7	R11 A+B+C	Pass	64	58	57	X	✓	✓	X	4	1.44	33	32
595 x 595 Slip Resistant 20mm	✓	Structured	Dark	CB36-042-6060	595	595	10.5	2.778	24.7	R11 A+B+C	Pass	64	58	57	X	✓	✓	X	4	1.44	33	32
595 x 296	✓	Lappato	Grey	CB36-031-6030	595	296	10.5	5.556	24.7	-	Pass	60	16	-	✓	✓	X	X	8	1.44	32.5	32
			Dark	CB36-041-6030	595	296	10.5	5.556	24.7	-	Pass	65	13	-	✓	✓	X	X	8	1.44	32.5	32
		Matt	Grey	CB36-030-6030	595	296	10.5	5.556	24.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	8	1.44	32.5	32
			Dark	CB36-040-6030	595	296	10.5	5.556	24.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	8	1.44	32.5	32
600 x 300 Brickbond Mosaic	✓	Lappato	Grey	CB36-031-BRI	600	300	10.5	5.556	21.7	-	Pass	60	16	-	✓	✓	X	X	4	0.72	15.6	30
			Dark	CB36-041-BRI	600	300	10.5	5.556	21.7	-	Pass	65	13	-	✓	✓	X	X	4	0.72	15.6	30
		Matt	Grey	CB36-030-BRI	600	300	10.5	5.556	21.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	4	0.72	15.6	30
			Dark	CB36-040-BRI	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	4	0.72	15.6	30
600 x 300 Mixed Mosaic	✓	Lappato	Grey	CB36-031-MIX	600	300	10.5	5.556	21.7	-	Pass	60	16	-	✓	✓	X	X	4	0.72	15.6	30
			Dark	CB36-041-MIX	600	300	10.5	5.556	21.7	-	Pass	65	13	-	✓	✓	X	X	4	0.72	15.6	30
		Matt	Grey	CB36-030-MIX	600	300	10.5	5.556	21.7	R10 A+B	Pass	56	34	29	✓	✓	X	X	4	0.72	15.6	30
			Dark	CB36-040-MIX	600	300	10.5	5.556	21.7	R10 A+B	Pass	57	39	33	✓	✓	X	X	4	0.72	15.6	30
590 x 290 Tredi Mosaic	✓	Lappato	Grey	CB36-031-TREDI	590	290	10.5	5.882	26.8	-	Pass	60	16	-	✓	✓	X	X	4	0.68	18.2	30
			Dark	CB36-041-TREDI	590	290	10.5	5.882	26.8	-	Pass	65	13	-	✓	✓	X	X	4	0.68	18.2	30
		Matt	Grey	CB36-030-TREDI	590	290	10.5	5.882	26.8	R10 A+B	Pass	56	34	29	✓	✓	X	X	4	0.68	18.2	30
			Dark	CB36-040-TREDI	590	290	10.5	5.882	26.8	R10 A+B	Pass	57	39	33	✓	✓	X	X	4	0.68	18.2	30
498 x 169 Chevron Pair	✓	Matt	Grey	CB36-030-5017	498	169	10.5	13.861	22.772	R10 A+B	Pass	56	34	29	✓	✓	X	X	14*	1.01	23	40
			Dark	CB36-040-5017	498	169	10.5	13.861	22.772	R10 A+B	Pass	57	39	33	✓	✓	X	X	14*	1.01	23	40
392 x 195 Chevron Right	✓	Matt	Grey	CB36-030-3920R	392	195	10.5	15.152	25	R10 A+B	Pass	56	34	29	✓	✓	X	X	10	0.66	16.5	40
			Dark	CB36-040-3920R	392	195	10.5	15.152	25	R10 A+B	Pass	57	39	33	✓	✓	X	X	10	0.66	16.5	40
392 x 195 Chevron Left	✓	Matt	Grey	CB36-030-3920L	392	195	10.5	15.152	25	R10 A+B	Pass	56	34	29	✓	✓	X	X	10	0.66	16.5	40
			Dark	CB36-040-3920L	392	195	10.5	15.152	25	R10 A+B	Pass	57	39	33	✓	✓	X	X	10	0.66	16.5	40
300 x 300 Mosaic	✓	Lappato	Grey	CB36-031-MOS	300	300	10.5	11.111	22.2	-	Pass	60	16	-	✓	✓	X	X	5	0.45	10	60
			Dark	CB36-041-MOS	300	300	10.5	11.111	22.2	-	Pass	65	13	-	✓	✓	X	X	5	0.45	10	60
		Matt	Grey	CB36-030-MOS	300	300	10.5	11.111	22.2	R10 A+B	Pass	56	34	29	✓	✓	X	X	5	0.45	10	60
			Dark	CB36-040-MOS	300	300	10.5	11.111	22.2	R10 A+B	Pass	57	39	33	✓	✓	X	X	5	0.45	10	60
195 x 97 Chevron Right	✓	Matt	Grey	CB36-030-2010R	195	97	10.5	62.5	25	R10 A+B	Pass	56	34	29	✓	✓	X	X	30	0.48	12	48
			Dark	CB36-040-2010R	195	97	10.5	62.5	25	R10 A+B	Pass	57	39	33	✓	✓	X	X	30	0.48	12	48
195 x 97 Chevron Left	✓	Matt	Grey	CB36-030-2010L	195	97	10.5	62.5	25	R10 A+B	Pass	56	34	29	✓	✓	X	X	30	0.48	12	48
			Dark	CB36-040-2010L	195	97	10.5	62.5	25	R10 A+B	Pass	57	39	33	✓	✓	X	X	30	0.48	12	48



*Chevron Pair: 7 Left-hand and 7 Right-hand tiles supplied per pack

All stated dimensions are nominal.

Due to variations in print and display technologies, colours shown here may differ from actual products. It is advisable to see a sample before ordering.



Greenwich Park Tiles and Special Pieces

designworks:tiles

Floor: 1195 x 596mm Grey matt



Suitability:

	Walls
	Floors
	R9 A, R10 A+B and R11 A+B+C options
	Internal use External use options

Options in this range:

Material	Unglazed Porcelain
Finishes	Matt Brushed Structured
Edges	Rectified
Colours	4

Greenwich Park Tiles and Special Pieces

sand



CB15-004-120120 Rectified structured 20mm 1194 x 1194 x 20mm



CB15-014-12060 Rectified matt 1195 x 596 x 9mm
 CB15-015-12060 Rectified brushed 1195 x 596 x 9mm
 CB15-005-12060 Rectified structured 1195 x 596 x 9mm
 CB15-004-12060 Rectified structured 20mm 1195 x 596 x 20mm



CB15-014-6060 Rectified matt 596 x 596 x 9mm
 CB15-015-6060 Rectified brushed 596 x 596 x 9mm
 CB15-005-6060 Rectified structured 596 x 596 x 9mm
 CB15-004-6060 Rectified structured 20mm 596 x 596 x 20mm




CB15-004-12030 Rectified structured 20mm 1195 x 297 x 20mm




CB15-014-6030 Rectified matt 596 x 297 x 9mm
 CB15-015-6030 Rectified brushed 596 x 297 x 9mm
 CB15-005-6030 Rectified structured 596 x 297 x 9mm



CB15-004-9045 Rectified structured 20mm 895 x 446 x 20mm



CB15-015-6040 Rectified brushed 596 x 396 x 9mm
 CB15-005-6040 Rectified structured 596 x 396 x 9mm



CB15-015-3030 Rectified brushed 297 x 297 x 9mm
 CB15-005-3030 Rectified structured 297 x 297 x 9mm



CB15-015-6020 Rectified brushed 596 x 197 x 9mm
 CB15-005-6020 Rectified structured 596 x 197 x 9mm



Greenwich Park Tiles and Special Pieces

grey



CB15-002-120120 Rectified structured 20mm 1194 x 1194 x 20mm



CB15-002-24030 Rectified structured 20mm 2390 x 297 x 20mm



CB15-002-240120 Rectified structured 20mm 2390 x 1194 x 20mm




CB15-012-12060 Rectified matt 1195 x 596 x 9mm

CB15-013-12060 Rectified brushed 1195 x 596 x 9mm

CB15-003-12060 Rectified structured 1195 x 596 x 9mm

CB15-002-12060 Rectified structured 20mm 1195 x 596 x 20mm



CB15-012-6060 Rectified matt 596 x 596 x 9mm

CB15-013-6060 Rectified brushed 596 x 596 x 9mm

CB15-003-6060 Rectified structured 596 x 596 x 9mm

CB15-002-6060 Rectified structured 20mm 596 x 596 x 20mm



CB15-002-12030 Rectified structured 20mm 1195 x 297 x 20mm




CB15-012-6030 Rectified matt 596 x 297 x 9mm

CB15-013-6030 Rectified brushed 596 x 297 x 9mm

CB15-003-6030 Rectified structured 596 x 297 x 9mm



CB15-002-9045 Rectified structured 20mm 895 x 446 x 20mm



CB15-013-6040 Rectified brushed 596 x 396 x 9mm

CB15-003-6040 Rectified structured 596 x 396 x 9mm



CB15-013-3030 Rectified brushed 297 x 297 x 9mm

CB15-003-3030 Rectified structured 297 x 297 x 9mm



CB15-013-6020 Rectified brushed 596 x 197 x 9mm


CB15-003-6020 Rectified structured 596 x 197 x 9mm




sand



grey



brown



rust

Greenwich Park Tiles and Special Pieces

brown



CB15-016-12060 Rectified matt 1195 x 596 x 9mm
 CB15-017-12060 Rectified brushed 1195 x 596 x 9mm
 CB15-007-12060 Rectified structured 1195 x 596 x 9mm



CB15-016-6060 Rectified matt 596 x 596 x 9mm
 CB15-017-6060 Rectified brushed 596 x 596 x 9mm
 CB15-007-6060 Rectified structured 596 x 596 x 9mm
 CB15-006-6060 Rectified structured **20mm** 596 x 596 x 20mm




CB15-016-6030 Rectified matt 596 x 297 x 9mm
 CB15-017-6030 Rectified brushed 596 x 297 x 9mm
 CB15-007-6030 Rectified structured 596 x 297 x 9mm



CB15-006-9045 Rectified structured **20mm** 895 x 446 x 20mm



CB15-017-3030 Rectified brushed 297 x 297 x 9mm
 CB15-007-3030 Rectified structured 297 x 297 x 9mm



CB15-017-6040 Rectified brushed 596 x 396 x 9mm
 CB15-007-6040 Rectified structured 596 x 396 x 9mm




CB15-017-6020 Rectified brushed 596 x 197 x 9mm
 CB15-007-6020 Rectified structured 596 x 197 x 9mm




sand



grey



brown



rust

Greenwich Park Tiles and Special Pieces

rust



CB15-018-12060 Rectified matt 1195 x 596 x 9mm
 CB15-019-12060 Rectified brushed 1195 x 596 x 9mm
 CB15-009-12060 Rectified structured 1195 x 596 x 9mm



CB15-018-6060 Rectified matt 596 x 596 x 9mm
 CB15-019-6060 Rectified brushed 596 x 596 x 9mm
 CB15-009-6060 Rectified structured 596 x 596 x 9mm
 CB15-008-6060 Rectified structured **20mm** 596 x 596 x 20mm




CB15-018-6030 Rectified matt 596 x 297 x 9mm
 CB15-019-6030 Rectified brushed 596 x 297 x 9mm
 CB15-009-6030 Rectified structured 596 x 297 x 9mm



CB15-008-9045 Rectified structured **20mm** 895 x 446 x 20mm



CB15-019-6040 Rectified brushed 596 x 396 x 9mm
 CB15-009-6040 Rectified structured 596 x 396 x 9mm



CB15-019-3030 Rectified brushed 297 x 297 x 9mm
 CB15-009-3030 Rectified structured 297 x 297 x 9mm




CB15-019-6020 Rectified brushed 596 x 197 x 9mm
 CB15-009-6020 Rectified structured 596 x 197 x 9mm




sand



grey



brown



rust

Greenwich Park Tiles and Special Pieces

technical chart (1 of 2)


Description	PRODUCT				DIMENSIONS / WEIGHT					SLIP RESISTANCE					AREA OF USE			Impregnate (yes/no)	Pieces per pack	Coverage per pack (m ²)	Weight per pack (kg)	Packs per pallet	
	Rectified Edge (yes/no)	Surface Finish	Colour Name	Product Code	Length (mm)	Width (mm)	Thickness (mm)	PCS per m ²	Kg per m ²	Ramp Test (DIN 51130)	Deep Abrasion (ISO 10545-6)	Shod Dry (4596 Dry)	Shod Wet (4596 Wet)	Barfoot Wet (TRRL 55 Wet)	Internal Walls	Internal Floors	External Floors						
2400 x 1200 (x 20mm)	✓	Structured	Grey	CB15-002-240120	2390	1194	2	0.347	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	X	1	2.86	134.2	9	
2400 x 300 (x 20mm)	✓	Structured	Grey	CB15-002-24030	2390	297	2	1.389	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	X	1	0.72	31	36	
1200 x 1200 (x 20mm)	✓	Structured	Sand	CB15-004-120120	1194	1194	2	0.674	41.1	R11 A+B+C	Pass	63	55	60	X	✓	✓	X	1	1.43	67.1	20	
			Grey	CB15-002-120120	1194	1194	2	0.674	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	✓	X	1	1.43	67.1	20
1200 x 600	✓	Matt	Sand	CB15-014-12060	1195	596	0.9	1.389	22.5	R10 A+B	Pass	59	44	47	✓	✓	X	X	2	1.44	31.93	35	
			Brushed	Sand	CB15-015-12060	1195	596	0.9	1.389	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	2	1.44	31.93	35
			Structured	Sand	CB15-005-12060	1195	596	0.9	1.389	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	2	1.44	31.93	35
1200 x 600 (x 20mm)	✓	Structured	Sand	CB15-004-12060	1195	596	2	1.389	41.1	R11 A+B+C	Pass	63	55	60	X	✓	✓	✓	X	1	0.72	33.4	35
			Grey	CB15-002-12060	1195	596	2	1.389	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	✓	X	1	0.72	33.4	35
1200 x 600	✓	Matt	Grey	CB15-012-12060	1195	596	0.9	1.389	22.5	R10 A+B	Pass	61	46	48	✓	✓	X	X	2	1.44	31.93	35	
			Brushed	Grey	CB15-013-12060	1195	596	0.9	1.389	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	2	1.44	31.93	35
			Structured	Grey	CB15-003-12060	1195	596	0.9	1.389	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	2	1.44	31.93	35
1200 x 300 (x 20mm)	✓	Structured	Sand	CB15-004-12030	1195	297	2	2.778	41.1	R11 A+B+C	Pass	63	55	60	X	✓	✓	✓	X	2	0.72	33.05	36
			Grey	CB15-002-12030	1195	297	2	2.778	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	✓	X	2	0.72	33.05	36
900 x 450 (x 20mm)	✓	Structured	Sand	CB15-004-9045	895	446	2	2.469	41.1	R11 A+B+C	Pass	63	55	60	X	✓	✓	✓	X	2	0.81	37.4	27
			Grey	CB15-002-9045	895	446	2	2.469	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	✓	X	2	0.81	37.4	27
600 x 600 (x 20mm)	✓	Structured	Sand	CB15-004-6060	596	596	2	2.778	41.1	R11 A+B+C	Pass	63	55	60	X	✓	✓	✓	X	2	0.72	33.8	30
			Grey	CB15-002-6060	596	596	2	2.778	41.1	R11 A+B+C	Pass	68	59	60	X	✓	✓	✓	X	2	0.72	33.8	30
600 x 600	✓	Matt	Sand	CB15-014-6060	596	596	0.9	2.778	22.5	R10 A+B	Pass	59	44	47	✓	✓	X	X	3	1.08	25	40	
			Grey	CB15-012-6060	596	596	0.9	2.778	22.5	R10 A+B	Pass	61	46	48	✓	✓	X	X	3	1.08	25	40	
		Brushed	Sand	CB15-015-6060	596	596	0.9	2.778	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	3	1.08	25	40	
			Grey	CB15-013-6060	596	596	0.9	2.778	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	3	1.08	25	40	
		Structured	Sand	CB15-005-6060	596	596	0.9	2.778	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	3	1.08	25	40	
			Grey	CB15-003-6060	596	596	0.9	2.778	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	3	1.08	25	40	
600 x 400	✓	Brushed	Sand	CB15-015-6040	596	396	0.9	4.167	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	3	0.72	16.81	36	
			Grey	CB15-013-6040	596	396	0.9	4.167	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	3	0.72	16.81	36	
		Structured	Sand	CB15-005-6040	596	396	0.9	4.167	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	3	0.72	16.81	36	
			Grey	CB15-003-6040	596	396	0.9	4.167	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	3	0.72	16.81	36	
600 x 300	✓	Matt	Sand	CB15-014-6030	596	297	0.9	5.556	22.5	R10 A+B	Pass	59	44	47	✓	✓	X	X	7	1.26	26.83	40	
			Grey	CB15-012-6030	596	297	0.9	5.556	22.5	R10 A+B	Pass	61	46	48	✓	✓	X	X	7	1.26	26.83	40	
		Brushed	Sand	CB15-015-6030	596	297	0.9	5.556	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	7	1.26	26.83	40	
			Grey	CB15-013-6030	596	297	0.9	5.556	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	7	1.26	26.83	40	
		Structured	Sand	CB15-005-6030	596	297	0.9	5.556	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	7	1.26	26.83	40	
			Grey	CB15-003-6030	596	297	0.9	5.556	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	7	1.26	26.83	40	
600 x 200	✓	Brushed	Sand	CB15-015-6020	596	197	0.9	8.333	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	6	0.72	16.4	48	
			Grey	CB15-013-6020	596	197	0.9	8.333	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	6	0.72	16.4	48	
		Structured	Sand	CB15-005-6020	596	197	0.9	8.333	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	6	0.72	16.4	48	
			Grey	CB15-003-6020	596	197	0.9	8.333	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	6	0.72	16.4	48	
300 x 300	✓	Brushed	Sand	CB15-015-3030	297	297	0.9	11.111	22.5	R9 A	Pass	58	42	44	✓	✓	X	X	12	1.08	21	44	
			Grey	CB15-013-3030	297	297	0.9	11.111	22.5	R9 A	Pass	57	26	36	✓	✓	X	X	12	1.08	21	44	
		Structured	Sand	CB15-005-3030	297	297	0.9	11.111	22.5	R11 A+B+C	Pass	63	55	60	✓	✓	✓	X	12	1.08	21	44	
			Grey	CB15-003-3030	297	297	0.9	11.111	22.5	R11 A+B+C	Pass	65	54	61	✓	✓	✓	X	12	1.08	21	44	




sand



grey



brown



rust

All stated dimensions are nominal.

Due to variations in print and display technologies, colours shown here may differ from actual products. It is advisable to see a sample before ordering.





Greenwich Park Tiles and Special Pieces

designworks:tiles

technical chart (2 of 2)

Description	PRODUCT				DIMENSIONS / WEIGHT					SLIP RESISTANCE				AREA OF USE			Impregnate (yes/no)	Pieces per pack	Coverage per pack (m ²)	Weight per pack (kg)	Packs per pallet		
	Rectified Edge (yes/no)	Surface Finish	Colour Name	Product Code	Length (mm)	Width (mm)	Thickness (mm)	PCS per m ²	Kg per m ²	Ramp Test (DIN 51130)	Deep Abrasion (ISO 10545-6)	Shod Dry (4596 Dry)	Shod Wet (4596 Wet)	Barefoot Wet (TRRL 55 Wet)	Internal Walls	Internal Floors						External Floors	
1200 x 600	✓	Matt	Brown	CB15-016-12060	1195	596	0.9	1.389	22.5	R10 A+B	Pass	60	52	54	✓	✓	X	X	2	1.44	31.93	35	
			Rust	CB15-018-12060	1195	596	0.9	1.389	22.5	R10 A+B	Pass	60	52	54	✓	✓	X	X	2	1.44	31.93	35	
		Brushed	Brown	CB15-017-12060	1195	596	0.9	1.389	22.5	R9 A	Pass	58	49	48	✓	✓	X	X	2	1.44	31.93	35	
			Rust	CB15-019-12060	1195	596	0.9	1.389	22.5	R9 A	Pass	53	29	30	✓	✓	X	X	2	1.44	31.93	35	
		Structured	Brown	CB15-007-12060	1195	596	0.9	1.389	22.5	R11 A+B+C	Pass	64	59	69	✓	✓	✓	X	X	2	1.44	31.93	35
			Rust	CB15-009-12060	1195	596	0.9	1.389	22.5	R11 A+B+C	Pass	61	50	54	✓	✓	✓	X	X	2	1.44	31.93	35
900 x 450 (x 20mm)	✓	Structured	Brown	CB15-006-9045	895	446	2	2.469	41.1	R11 A+B+C	Pass	66	53	49	X	✓	✓	X	2	0.81	37.4	27	
		Structured	Rust	CB15-008-9045	895	446	2	2.469	41.1	R11 A+B+C	Pass	66	56	57	X	✓	✓	X	2	0.81	37.4	27	
600 x 600mm	✓	Matt	Brown	CB15-016-6060	596	596	0.9	2.778	22.5	R10 A+B	Pass	60	52	54	✓	✓	X	X	3	1.08	25	40	
			Rust	CB15-018-6060	596	596	0.9	2.778	22.5	R10 A+B	Pass	60	52	54	✓	✓	X	X	3	1.08	25	40	
		Brushed	Brown	CB15-017-6060	596	596	0.9	2.778	22.5	R9 A	Pass	58	49	48	✓	✓	X	X	3	1.08	25	40	
			Rust	CB15-019-6060	596	596	0.9	2.778	22.5	R9 A	Pass	53	29	30	✓	✓	X	X	3	1.08	25	40	
		Structured	Brown	CB15-007-6060	596	596	0.9	2.778	22.5	R11 A+B+C	Pass	64	59	69	✓	✓	✓	X	X	3	1.08	25	40
			Rust	CB15-009-6060	596	596	0.9	2.778	22.5	R11 A+B+C	Pass	61	50	54	✓	✓	✓	X	X	3	1.08	25	40
600 x 600 x 20mm	✓	Structured	Brown	CB15-006-6060	596	596	2	2.778	41.1	R11 A+B+C	Pass	66	53	49	X	✓	✓	X	2	0.72	33.8	30	
		Structured	Rust	CB15-008-6060	596	596	2	2.778	41.1	R11 A+B+C	Pass	66	56	57	X	✓	✓	X	2	0.72	33.8	30	
600 x 400mm	✓	Brushed	Brown	CB15-017-6040	596	396	0.9	4.167	22.5	R9 A	Pass	58	49	48	✓	✓	X	X	3	0.72	16.81	36	
			Rust	CB15-019-6040	596	396	0.9	4.167	22.5	R9 A	Pass	53	29	30	✓	✓	X	X	3	0.72	16.81	36	
		Structured	Brown	CB15-007-6040	596	396	0.9	4.167	22.5	R11 A+B+C	Pass	64	59	69	✓	✓	✓	X	X	3	0.72	16.81	36
			Rust	CB15-009-6040	596	396	0.9	4.167	22.5	R11 A+B+C	Pass	61	50	54	✓	✓	✓	X	X	3	0.72	16.81	36
600 x 200mm	✓	Brushed	Brown	CB15-017-6020	596	197	0.9	8.333	22.5	R9 A	Pass	58	49	48	✓	✓	X	X	6	0.72	16.4	48	
			Rust	CB15-019-6020	596	197	0.9	8.333	22.5	R9 A	Pass	53	29	30	✓	✓	X	X	6	0.72	16.4	48	
		Structured	Brown	CB15-007-6020	596	197	0.9	8.333	22.5	R11 A+B+C	Pass	64	59	69	✓	✓	✓	X	X	6	0.72	16.4	48
			Rust	CB15-009-6020	596	197	0.9	8.333	22.5	R11 A+B+C	Pass	61	50	54	✓	✓	✓	X	X	6	0.72	16.4	48
300 x 300mm	✓	Brushed	Brown	CB15-017-3030	297	297	0.9	11.111	22.5	R9 A	Pass	58	49	48	✓	✓	X	X	12	1.08	21	44	
			Rust	CB15-019-3030	297	297	0.9	11.111	22.5	R9 A	Pass	53	29	30	✓	✓	X	X	12	1.08	21	44	
		Structured	Brown	CB15-007-3030	297	297	0.9	11.111	22.5	R11 A+B+C	Pass	64	59	69	✓	✓	✓	X	X	12	1.08	21	44
			Rust	CB15-009-3030	297	297	0.9	11.111	22.5	R11 A+B+C	Pass	61	50	54	✓	✓	✓	X	X	12	1.08	21	44



All stated dimensions are nominal.

Due to variations in print and display technologies, colours shown here may differ from actual products. It is advisable to see a sample before ordering.

